

1.	GENERAL INFORMATION	
1.1	Date updated:	Jan 08, 2024
1.2	Vessel's name (IMO number):	Cilicia (9171175)
1.3	Vessel's previous name(s) and date(s) of change:	Ice Eagle (Jan 25, 2023) Prodromi (Dec 21, 2011) Stepan Makarov (Dec 06, 2007) Astrakhan (May 15, 2006)
1.4	Date delivered/Builder (where built):	Mar 15, 2000/Admiralty Shipyard, Russia
1.5	Flag/Port of Registry:	Russian Federation/Murmansk
1.6	Call sign/MMSI:	UENV/273436640
1.7	Vessel's contact details (satcom/fax/email etc.):	Sat. phone: +7 9544057169 Iridium OP: +79541030436 Mobile/WhatsApp: +79217340014 Email: cilicia@ruspetrol.com
1.8	Type of vessel (as described in Form A or Form B Q1.11 of the IOPPC):	Other (crude oil/product carrier and chemical tanker)
1.9	Type of hull:	Double Hull
Ownership and Operation		
1.10	Registered owner - Full style:	RP-SHIPPING LLC Office 809, 82 Lenina avenue Murmansk, 183038, Russian Federation Tel: +79217340058 Email: rp-shipping@yandex.ru
1.11	Technical operator - Full style:	RP-SHIPPING LLC Office 809, 82 Lenina avenue Murmansk, 183038, Russian Federation Tel: +79217340058 Email: rp-shipping@yandex.ru
1.12	Commercial operator - Full style:	RP-SHIPPING LLC Office 809, 82 Lenina avenue Murmansk, 183038, Russian Federation Tel: +79217340058 Email: rp-shipping@yandex.ru
1.13	Deponent owner - Full style:	RP-SHIPPING LLC Office 809, 82 Lenina avenue Murmansk, 183038, Russian Federation Tel: +79217340058 Email: rp-shipping@yandex.ru
Insurance		
1.14	P & I Club - Full Style:	AlfaStrakhovanie 31b, Shabolovka street, Moscow, Russia Tel: +7 4957880999
1.15	P & I Club pollution liability coverage/expiration date:	USD 1 000 000 000 / Jan 30, 2024
1.16	Hull & Machinery insured by - Full Style: (Specify broker or leading underwriter)	AlfaStrakhovanie 31b, Shabolovka street, Moscow, Russia Tel: +7 4957880999
1.17	Hull & Machinery insured value/expiration date:	RUB 650 000 000 / Feb 05, 2024
Classification		
1.18	Classification society:	Russian Maritime Register
1.19	Class notation:	KM ⚓ UL (at d<9.0 m), L1 (at d<9.77m) Oil/Chemical tanker type 3 (ESP) Equipped with Single Point Mooring and Bow Loading System from dot terminal
1.20	Is the vessel subject to any conditions of class, class extensions, outstanding memorandums or class recommendations? If yes, give details:	No N/A

1.21	If classification society changed, name of previous and date of change:			Nippon Kaiji Kyokai, Jan 24, 2015	
1.22	Does the vessel have ice class? If yes, state what level:			Yes, Finnish-Swedish IA Super at d<9.0m & IA at d<9.77m	
1.23	Date/place of last dry-dock:			Aug 18, 2023/Zhoushan, China	
1.24	Date next dry dock due/next annual survey due:			Jun 2025	Jun 2024
1.25	Date of last special survey/next special survey due:			Aug 10, 2023	Dec 2023
1.26	If ship has Condition Assessment Program (CAP), what is the latest overall rating:			No	
Dimensions					
1.27	Length overall (LOA):			157.40 Metres	
1.28	Length between perpendiculars (LBP):			147.20 Metres	
1.29	Extreme breadth (Beam):			24.54 Metres	
1.30	Moulded depth:			13.40 Metres	
1.31	Keel to masthead (KTM)/ Keel to masthead (KTM) in collapsed condition, if applicable:			44.20 Metres	44.20 Metres
1.32	Distance bridge front to center of manifold:			44.10 Metres	
1.33	Bow to center manifold (BCM)/Stern to center manifold (SCM):			77.68 Metres	79.76 Metres
1.34	Parallel body distances		Lightship	Normal Ballast	Summer Dwt
	Forward to mid-point manifold:		37.50 Metres	46.00 Metres	46.00 Metres
	Aft to mid-point manifold:		20.00 Metres	20.70 Metres	43.00 Metres
	Parallel body length:		57.50 Metres	66.70 Metres	89 Metres
Tonnages					
1.35	Net Tonnage:			6,326.00	
1.36	Gross Tonnage/Reduced Gross Tonnage (if applicable):			13,846.00	11,331
1.37	Suez Canal Tonnage - Gross (SCGT)/Net (SCNT):			14,007.89	10,772.22
1.38	Panama Canal Net Tonnage (PCNT):			11,556.00	
Loadline Information					
1.39	Loadline	Freeboard	Draft	Deadweight	Displacement
	Summer:	3.64 Metres	9.77 Metres	19,740 Metric Tonnes	27,502.50 Metric Tonnes
	Winter:	3.64 Metres	9.77 Metres	19,740 Metric Tonnes	27,502.50 Metric Tonnes
	Tropical:				
	Lightship:	10.41 Metres	3.00 Metres	-	7,762.50 Metric Tonnes
	Normal Ballast Condition:	7.41 Metres	6.00 Metres	8,317.00 Metric Tonnes	16,079.50 Metric Tonnes
	Segregated Ballast Condition:	7.41 Metres	6.00 Metres	8,317.00 Metric Tonnes	16,079.50 Metric Tonnes
1.40	FWA/TPC at summer draft:			210.00 Millimetres	32.00 Metric Tonnes
1.41	Does vessel have multiple SDWT? If yes, please provide all assigned loadlines:			No	
1.42	Constant (excluding fresh water):			200 Metric Tonnes	
1.43	What is the company guidelines for Under Keel Clearance (UKC) for this vessel?			<p>MIN UKC AT OPEN SEA: The UKC to exceed 50% of the vessel's current maximum static draft and no further UKC calculations required</p> <p>MIN UKC FOR SAILING IN CONFINED WATERS, EXCLUDING CHANNELS, FAIRWAYS AND ALONGSIDE A TERMINAL: Where the UKC is less than 50% of the vessel's current maximum static draft the vessel shall maintain a minimum UKC of 10% of the current maximum static draft not falling short of</p>	

		<p>1.0m, after taking into account applicable dynamic factors</p> <p>MIN UKC FOR SAILING IN CHANNELS AND FAIRWAYS: Whilst "Underway" the minimum UKC required is 1.5% of the moulded breadth of the vessel, but not less than 0.6m, after taking into account applicable dynamic factors</p> <p>MIN UKC WHILST MOORED AT SEA ISLAND TERMINALS/SBM/OPEN LOCATIONS: Minimum UKC of 15% of the current maximum static draft not Falling short of 1.5m, after taking into account applicable dynamic factors</p> <p>MIN UKC WHILST BERTH ALONGSIDE A TERMINAL OR AT CBM: 1.5% of the moulded breadth of vessel, not falling short of 0.3m, after taking into account applicable dynamic factors</p>	
1.44	What is the max height of mast above waterline (air draft)	Full Mast	Collapsed Mast
	Summer deadweight:	34.43 Metres	0 Metres
	Normal ballast:	37.20 Metres	0 Metres
	Lightship:	41.20 Metres	0 Metres

2.	CERTIFICATES	Issued	Last Annual	Last Intermediate	Expires
2.1	Safety Equipment Certificate (SEC):	Aug 10, 2023			Mar 15, 2025
2.2	Safety Radio Certificate (SRC):	Aug 10, 2023			Mar 15, 2025
2.3	Safety Construction Certificate (SCC):	Aug 10, 2023			Mar 15, 2025
2.4	International Loadline Certificate (ILC):	Aug 10, 2023			Mar 15, 2025
2.5	International Oil Pollution Prevention Certificate (IOPPC):	Aug 10, 2023			Mar 15, 2025
2.6	International Ship Security Certificate (ISSC):	Oct 11, 2023			Oct 11, 2028
2.7	Maritime Labour Certificate (MLC):	Aug 12, 2023			Aug 12, 2028
2.8	ISM Safety Management Certificate (SMC):	Aug 12, 2023			Aug 12, 2028
2.9	Document of Compliance (DOC):	Jun 14, 2023			Jun 14, 2028
2.10	USCG Certificate of Compliance(USCGCOC):	N/A			N/A
2.11	Civil Liability Convention (CLC) 1992 Certificate:	Jan 15, 2024			Jan 31, 2025
2.12	Civil Liability for Bunker Oil Pollution Damage Convention (CLBC) Certificate:	Jan 15, 2024			Jan 31, 2025
2.13	Liability for the Removal of Wrecks Certificate (WRC):	Jan 15, 2024			Jan 31, 2025
2.14	U.S. Certificate of Financial Responsibility (COFR):	N/A			N/A
2.15	Certificate of Class (COC):	Aug 10, 2023			Mar 15, 2025
2.16	International Sewage Pollution Prevention Certificate (ISPPC):	Aug 10, 2023			Mar 15, 2025
2.17	Certificate of Fitness (COF):	Aug 10, 2023			Mar 15, 2025
2.18	International Energy Efficiency Certificate (IEEC):	Aug 10, 2023			
2.19	International Air Pollution Prevention Certificate (IAPPC):	Aug 10, 2023			Mar 15, 2025
Documentation					
2.20	Owner warrant that vessel is member of ITOPF and will remain so for the entire duration of this voyage/contract:				No
2.21	Does vessel have in place a Drug and Alcohol Policy complying with OCIMF guidelines for Control of Drugs and Alcohol Onboard Ship?				Yes

2.22	Is the ITF Special Agreement on board (if applicable)?	N/A
2.23	ITF Blue Card expiry date (if applicable):	N/A

3.	CREW	
3.1	Nationality of Master:	Russian
3.2	Number and nationality of Officers:	9 Russian
3.3	Number and nationality of Crew:	12 Russian
3.4	What is the common working language onboard:	Russian
3.5	Do officers speak and understand English?	Yes
3.6	If Officers/ratings employed by a manning agency - Full style:	Officers: Not applicable (direct employment) Ratings: Not applicable (direct employment)

4.	FOR USA CALLS	
4.1	Has the vessel Operator submitted a Vessel Spill Response Plan to the US Coast Guard which has been approved by official USCG letter?	No
4.2	Qualified individual (QI) - Full style:	Not Applicable
4.3	Oil Spill Response Organization (OSRO) - Full style:	Not Applicable
4.4	Salvage and Marine Firefighting Services (SMFF) - Full Style:	N/A

5.	SAFETY/HELICOPTER	
5.1	Is the vessel operated under a Quality Management System? If Yes, what type of system? (ISO9001 or IMO Resolution A.741(18) as amended):	Yes IMO Resolution A.741 (18)
5.2	Can the ship comply with the ICS Helicopter Guidelines?	No
5.2.1	If Yes, state whether winching or landing area provided:	
5.2.2	If Yes, what is the diameter of the circle provided:	

6.	COATING/ANODES				
6.1	Tank Coating	Coated	Type	To What Extent	Anodes
	Cargo tanks:	Yes	Hempel HEMPADURE / 1550	Whole Tank	No
	Ballast tanks:	Yes	Hempadur Mastic	Whole Tank	Yes
	Slop tanks:	Yes	Epoxy	Whole Tank	No

7.	BALLAST				
7.1	Pumps	No.	Type	Capacity	At What Head (sg=1.0)
	Ballast Pumps:	2	Centrifugal	600 Cu. Meters/Hour	30 Meters
	Ballast Eductors:	2	Other	63 Cu. Meters/Hour	8 Meters

8.	CARGO		
Double Hull Vessels			
8.1	Is vessel fitted with centerline bulkhead in all cargo tanks? If Yes, solid or perforated:	No,	
Cargo Tank Capacities			
8.2	Number of cargo tanks and total cubic capacity (max% per company policy: 98%, 97%, 96% or 95%) excluding slops tanks:	10	22 232.82 Cub. Meters

8.2.1	Capacity (max% per company policy: 98%, 97%, 96% or 95%) of each natural segregation with double valve (specify tanks):	Seg#1: 4781 m3 (No.1 + No.2) Seg#2: 6209 m3 (No.3 + No.4) Seg#3: 6234 m3 (No.5 + No.6) Seg#4: 5007.98 m3 (No.7 + No.8)	
8.2.2	IMO class (Oil/Chemical Ship Type 1, 2 or 3):	3	
8.3	Number of slop tanks and total cubic capacity (max% per company policy: 98%, 97%, 96% or 95%):	2	600.30 Cu. Meters
8.3.1	Specify segregations which slops tanks belong to and their capacity with double valve:		
8.3.2	Residual/retention oil tank(s) capacity (98%), if applicable:	0 Cub. Meters	
SBT Vessels			
8.3.3	What is total SBT capacity and percentage of SDWT vessel can maintain?	8,593.4 Cub.Meters	42.00 %
8.3.4	Does vessel meet the requirements of MARPOL Annex I Reg 18.2:	Yes	
Cargo Handling and Pumping Systems			
8.4	How many grades/products can vessel load/discharge with double valve segregation:	4	
8.4.1	State type of cargo containment (integral, independent, gravity or pressure tanks):	Integral	
8.5	Are there any cargo tank filling restrictions? If yes, specify number of slack tanks, max s.g., ullage restrictions etc.:	Yes No work than 2 cargo tanks partly filled during voyage	
8.6	Max loading rate for homogenous cargo	With VECS	Without VECS
	Loaded per manifold connection:		1,200 Cub. Meters/Hour
	Loaded simultaneously through all manifolds:		4,000.00 Cub. Meters/Hour
Cargo Control Room			
8.7	Is ship fitted with a Cargo Control Room (CCR)?	Yes	
8.8	Can tank innage/ullage be read from the CCR?	Yes	
Gauging and Sampling			
8.9	Is gauging system certified and calibrated? If no, specify which ones are not calibrated:	Yes	
	What type of gauging system as per IBC 13.1 is fitted (Open/Restricted/Closed)?	Closed	
	What type of fixed closed tank gauging system is fitted:	Radar	
	Is a tank overflow control system fitted? If yes, then state if system includes automatic closing of valves?	Level control 95% /98%	
	Are high level alarms fitted to the cargo tanks? If Yes, indicate whether to all tanks or partial:	Yes, All	
8.9.1	Can cargo be transferred under closed loading conditions in accordance with ISGOTT 11.1.6.6?	Yes	
8.9.2	Are cargo tanks fitted with multipoint gauging? If yes, specify type and locations:	Yes, Kongsberg Autronica	
8.10	Number of portable gauging units (example- MMC) on board:	3	
Vapor Emission Control System (VECS)			
8.11	Is a vapour return system (VRS) fitted?	Yes	
8.12	Number/size of VECS manifolds (per side):	2	300 Millimeters
8.13	Number/size/type of VECS reducers:		
Venting			
8.14	State what type of venting system is fitted:	High velocity P/V valves Full flow	
Cargo Manifolds and Reducers			
8.15	Total number/size of cargo manifold connections on each side:	4/300.00 Millimeters	
8.15.1	Does the vessel have a Common Line Manifold connection? If yes, describe:	No	
8.16	What type of valves are fitted at manifold:	Butterfly	
8.17	What is the material/rating of the manifold:	Steel/N/A	
8.17.1	Does vessel comply with the latest edition of the OCIMF 'Recommendations for Oil Tanker Manifolds and Associated Equipment'?	Yes	
8.18	Distance between cargo manifold centers:	1,500.00 Millimeters	
8.19	Distance ships rail to manifold:	4,550.00 Millimeters	

8.20	Distance manifold to ships side:	4,550.00 Millimeters
8.21	Top of rail to center of manifold:	700.00 Millimeters
8.22	Distance main deck to center of manifold:	2,100.00 Millimeters
8.23	Spill tank grating to center of manifold:	950.00 Millimeters
8.24	Manifold height above the waterline in normal ballast/at SDWT condition:	10.30 Meters 5.73 Meters
8.25	Number/size/type of reducers:	ANSI STANDART: 5 – 10" x 12" (250/300mm), 12/12 holes 1 – 8" x 10" (200/250mm), 8/12 holes 5 – 8" x 12" (200/300mm), 8/12 holes 1 – 6" x 10" (152/250mm), 6/10 holes 3 – 6" x 12" (152/300mm), 8/12 holes 1 – 4" x 12" (102/300mm), 8/12 holes
8.26	Is vessel fitted with a stern manifold? If yes, state size:	No

Heating

8.27	Cargo/slop tanks fitted with a cargo heating system?	Type	Coiled	Material
	Cargo Tanks:	Steam	Yes	SS
	Slop Tanks:	Heating coils	Yes	SS
8.27.1	Is a Thermal Oil Heating system fitted? If yes, identify tanks?			No
8.28	Maximum temperature cargo can be loaded/maintained:	66.0 °C / 150.8 °F		60 °C / 140 °F
8.28.1	Minimum temperature cargo can be loaded/maintained:	-10.0 °C / 14.0 °F		

Inert Gas and Crude Oil Washing

8.29	Is an Inert Gas System (IGS) fitted/operational?	Yes/Yes
8.29.1	Is a Crude Oil Washing (COW) installation fitted/operational?	Yes/Yes
8.30	Is IGS supplied by flue gas, inert gas (IG) generator and/or nitrogen:	IG Generator
8.30.1	If nitrogen generator, specify the applicable flow rate for each of the designed purity modes:	N/A

Cargo Pumps

8.31	How many cargo pumps can be run simultaneously at full capacity:	4			
8.32	Pumps	No.	Type	Capacity	At What Head (sg=1.0)
	Cargo Pumps:	4	Screw	600 M3/HR	100 Meters 100 Meters 100 Meters 100 Meters
	Cargo Eductors:				
	Stripping:	1	Other	24 Cub. Metres/Hr	40 Metres
8.33	Is at least one emergency portable cargo pump provided?	No			

Tank Cleaning Systems

8.34	Is tank cleaning equipment fixed in cargo tanks?	Yes
8.35	Is portable tank cleaning equipment provided?	No
8.36	Tank washing pump capacity:	150.00 Cub. Metres/Hour
8.37	Is a washing water heater fitted? If yes is it operational and state max washing water temperature:	Yes, 60 Degrees Celsius
8.38	What is the maximum number of machines that can be operated at their designed max pressure?	4

Other Deck Equipment

8.39	Is vessel fitted with a remote cargo tank temperature monitoring system/ If yes, is it operational?	Yes (UTI)/Yes
8.40	Is vessel fitted with a remote cargo tank pressure monitoring system. If yes, is it operational?	No
8.41	Is vessel fitted with a cargo tank drier. If yes is it operational and state capacity:	No
8.42	Is vessel fitted with a cargo cooling system. If yes is it operational and state tanks applicable:	No
8.43	Is steam available on deck?	No

9.	MOORING					
9.1	Wires (on drums)	No.	Diameter	Material	Length	Breaking Strength

	Forecastle:	0	0.00 Millimetres		0.00 Metres	0.00 Metric Tonnes
	Main deck fwd:	0	0.00 Millimetres		0.00 Metres	0.00 Metric Tonnes
	Main deck aft:	0	0.00 Millimetres		0.00 Metres	0.00 Metric Tonnes
	Poop deck:	0	0.00 Millimetres		0.00 Metres	0.00 Metric Tonnes
9.2	Wire tails	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	0	0.00 Millimetres		0.00 Metres	0.00 Metric Tonnes
	Main deck fwd:	0	0.00 Millimetres		0.00 Metres	0.00 Metric Tonnes
	Main deck aft:	0	0.00 Millimetres		0.00 Metres	0.00 Metric Tonnes
	Poop deck:	0	0.00 Millimetres		0.00 Metres	0.00 Metric Tonnes
9.3	Ropes (on drums)	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	4	56.00 Millimetres	mixed polyester	220.00 Metres	58.00 Metric Tonnes
	Main deck fwd:	0	0.00 Millimetres		0.00 Metres	0.00 Metric Tonnes
	Main deck aft:	0	0.00 Millimetres		0.00 Metres	0.00 Metric Tonnes
	Poop deck:	4	56.00 Millimetres	mixed polyester	220.00 Metres	58.00 Metric Tonnes
9.4	Other lines	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	4	56.00 Millimetres	mixed polyester	220.00 Metres	58.00 Metric Tonnes
	Main deck fwd:	0	0.00 Millimetres		0.00 Metres	0.00 Metric Tonnes
	Main deck aft:	0	0.00 Millimetres		0.00 Metres	0.00 Metric Tonnes
	Poop deck:	4	56.00 Millimetres	mixed polyester	220.00 Metres	58.00 Metric Tonnes
9.5	Winches	No.	No. Drums	Motive Power	Brake Capacity	Type of Brake
	Forecastle:	2	Double Drums	Hydraulic	37.00 Metric Tonnes	
	Main deck fwd:	0			0.00 Metric Tonnes	
	Main deck aft:	0			0.00 Metric Tonnes	
	Poop deck:	2	Double Drums	Hydraulic	37.00 Metric Tonnes	
9.6	Bitts, closed chocks/fairleads		No. Bitts	SWL Bitts	No. Closed Chocks	SWL Closed Chocks
	Forecastle:		6	68 Metric Tonnes	6	68 Metric Tonnes
	Main deck fwd:		2	68 Metric Tonnes	4	68 Metric Tonnes
	Main deck aft:		2	68 Metric Tonnes	4	68 Metric Tonnes
	Poop deck:		5	68 Metric Tonnes	8	68 Metric Tonnes
Anchors/Emergency Towing System						
9.7	Number of shackles on port/starboard cable:				11/10	
9.8	Type/SWL of Emergency Towing system forward:				maritime pushes	200 Metric Tonnes
9.9	Type/SWL of Emergency Towing system aft:				maritime pushes	200 Metric Tonnes
9.10.1	What is size of closed chock and/or fairleads of enclosed type on stern				620/400	
Escort Tug						
9.10.2	What is SWL of closed chock and/or fairleads of enclosed type on stern:				200.00 Metric Tonnes	
9.11	What is SWL of bollard on poop deck suitable for escort tug:				200.00 Metric Tonnes	
Lifting Equipment/Gangway						
9.12	Derrick/Crane description (Number, SWL and location):				Derricks: 0.00 Tonnes, Cranes: 1 x 3.00 Tonnes Center	
9.13	Accommodation ladder direction:					
	Does vessel have a portable gangway? If yes, state length:				9,7 Meters	
Single Point Mooring (SPM) Equipment						
9.14	Does the vessel meet the recommendations in the latest edition of OCIMF 'Recommendations for Equipment Employed in the Bow Mooring of Conventional Tankers at Single Point Moorings (SPM)':?				Yes	
9.15	If fitted, how many chain stoppers:				1	
9.16	State type/SWL of chain stopper(s):				tongue type	200.00 Metric Tonnes

9.17	What is the maximum size chain diameter the bow stopper(s) can handle:	76.00 Millimetres
9.18	Distance between the bow fairlead and chain stopper/bracket:	3,500.00 Metres
9.19	Is bow chock and/or fairlead of enclosed type of OCIMF recommended size (600mm x 450mm)? If not, give details of size:	Yes 0

10.	PROPULSION		
10.1	Speed	Maximum	Economical
	Ballast speed:	15 Knots (WSNP)	11 Knots (WSNP)
	Laden speed:	15 Knots (WSNP)	11 Knots (WSNP)
10.2	What type of fuel is used for main propulsion/generating plant:	IFO 380 or LSMGO (SECA)	IFO 380 or LSMGO (SECA)
10.3	Type/Capacity of bunker tanks:	Fuel Oil: 1,064.63 Cub. Metres Diesel Oil: 128.49 Cub. Metres Gas: 0 Cub. Metres	
10.4	Is vessel fitted with fixed or controllable pitch propeller(s):	Controllable	
10.5	Engines	No	Capacity
	Main engine:	1	8,580 Kilowatt
	Aux engine:	3	852 Kilowatt
	Power packs:	N/A	0 Cub. Metres/Hour
	Boilers:	2	8.00 Metric Tonnes/Hour
			Bryansk Engineering works
			WARTSILA
			N/A
			AALBORG
Bow/Stern Thruster			
10.6	What is brake horse power of bow thruster (if fitted):	Yes, 875.00 bhp	
10.7	What is brake horse power of stern thruster (if fitted):	No, 0.00 bhp	
Emissions			
10.8	Main engine IMO NOx emission standard:	Not Applicable	
10.9	Energy Efficiency Design Index (EEDI) rating number:	N/A	

11.	SHIP TO SHIP TRANSFER	
11.1	Does vessel comply with recommendations contained in OCIMF/ICS Ship To Ship Transfer Guide (Petroleum, Chemicals or Liquefied Gas, as applicable)?	Yes
11.2	What is maximum outreach of cranes/derricks outboard of the ship's side:	5.75 Metres
11.3	Date/place of last STS operation:	Mar 31, 2023 / Slavianka

12.	RECENT OPERATIONAL HISTORY	
12.1	Last three cargoes/charterers/voyages (Last/2nd Last/3rd Last):	GASOIL / GASOIL / NAPHTHA
12.2	Has vessel been involved in a pollution, grounding, serious casualty, unscheduled repair or collision incident during the past 12 months? If yes, provide details:	Pollution: No, N/A Grounding: No, N/A Casualty: No, N/A Repair: No, A new Bow Loading System installation took place at Bremerhaven, (Germany) shipyard from Nov 24, 2015 to Dec 09, 2015. This was arranged by the current vessel's Time Charterer to accommodate their new infrastructure requirements of a fully automated SPM mooring & loading tower where our vessel will constantly call for loading operations under the existing Time Charter. Modification is permanent and to the satisfaction of both classification societies of the vessel (NK and RS). Additionally a new hose handling winch for modernization of the Bow Loading

		System installed on Dec 13, 2017 at Szczecin (Poland) to the satisfaction of the classification society (RS). Collision: No,
12.3	Date and place of last Port State Control inspection:	Mar 25, 2023 / Taichung, Taiwan
12.4	Any outstanding deficiencies as reported by any Port State Control? If yes, provide details:	No N/A
12.5	Recent Oil company inspections/screenings (To the best of owners knowledge and without guarantee of acceptance for future business)*: <i>* "Approvals" are not given by Oil Majors and ships are accepted for the voyage on a case by case basis.</i>	LUKOIL / EQUINOR / MTM / GAZPROM / PRIMORSK / KOCH
12.6	Date/Place of last SIRE inspection:	Nil
12.6.1	Date/Place of last CDI inspection:	N/A
12.7	Additional information relating to features of the ship or operational characteristics:	Chemical notation "chemical tanker type 3" assigned on July 17, 2020. CERTIFIED TO OPERATE IN POLAR WATERS IN LOW AIR TEMPERATURE WITH POLAR SERVICE TEMPERATURE – 40 DEG.C AND WITHOUT ANY RESTRICTION FOR HIGH LATITUDES.

Revised 2018 ([INTERTANKO/Q88.com](http://www.intertanko.com))

Form completed on <http://www.q88.com/integration.aspx> Please email support@q88.com an updated copy if this is not the latest version.